



REV.	DESCRIPTION	DRAWN	ECN	DATE
1	PROPOSAL(3007-6148)	Iris	S06-063	07-04'2006
2	SAMPLE RELEASE (3002-6083)	Iris	S06-064	07-06'2006
3	SEE ECN (3007-6172)	IRIS	S06-075	08-02'2006
A	NEW RELEASE (3007-6284)	Iris	06-340	12-13'2006

ELECTRICAL PERFORMANCE :
 1.IMPEDANCE : 50 ohms
 2.FREQUENCY RANGE : 0~ 6GHz
 3.WORKING VOLTAGE : 335 Vrms MAX
 4.DIALECTRIC WITHSTANDING VOLTAGE : 1000 Vrms MAX

28101-0301		1
CONTACT	BERYLLIUM-COPPER	GOLD 30u"
SQ. BODY	BRASS	GOLD
BODY	BRASS	GOLD
INSULATOR	TEFLON	NATURE
DESCRIPTION	MATERIALS	FINISFED

RoHS

COMPLIANT
2002/95/EC

UNLESS OTHERWISE SPECIFIED ALL TOLERANCES ARE :

DIMENSION		ANGLE	
INTEGRAL DIMENSIONS	±1.0	ANGULAR DIMENSIONS	±5.0°
1 PLACE DECIMAL	±0.5	HOLES UNDER Ø0.5	±0.1
2 PLACE DECIMALS	±0.25	ROUGHNESS	

	FINISH: SEE TABLE		MATERIAL: SEE TABLE
--	-------------------	--	---------------------

nicon Precise Corp.

DRAWN BY:	Iris Wang	DATE:	07-04'2006
ENGR BY:	Iris Wang	DATE:	07-04'2006
APVD BY:		DATE:	

TITLE: MCX R/A PCB RECEPTACLE

Model NO: 28101

Drawing NO: 12-28101

UNIT:	MM	SIZE:	A4	REV.	A	CAD FILE: J:/NEW DWG/28XXX /28101
SCALE:	6:1	SHEET	1 OF 1			